AlfaTest Pty Ltd
A.B.N. 58 096 333 774
PO Box 229, Salisbury QLD 4107
Unit 3/121 Evans Rd, Salisbury, Qld 4107

Phone: (07) 3715 3400
Fax: (07) 3715 3401
Email: info@alfatest.com.au



### **MECHANICAL TESTING REPORT**

AlfaTest Report No: 20200543M01 Re-issue

Date of Test: 09 to 11 March 2020

Location of Test: AlfaTest Laboratory, Salisbury Qld

Client Name: Network Steel and Aluminium

Client Address: 3 Enterprise Street, Cleveland QLD 4163

Client Order No: 50877

Client Job No: Not specified

Project Details: Load Testing of Fabricated Brace 'Netbrace' Samples

Item Details as supplied: Qty 1, Fabricated Brace 'Netbrace', ID No. NBR27-350, Sample ID No. M01

Qty 1, Fabricated Brace 'Netbrace', ID No. NBR27-450, Sample ID No. M02 Qty 1, Fabricated Brace 'Netbrace', ID No. NBR27-600, Sample ID No. M03

Compliance: Refer Test Results

Revision No: 1

Revision Date: 16 March 2020

Revision Details: Permanent set updated on Page 3

Technician/s: Allan Dean Approved by: Fabian Lyons

Signature:

Re-issue Date: 16 March 2020



## **Testing Details**


#### **Installation Notes**

4 x M16 x 120 Grade 8.8 Chemical Anchors used.

Minimum stud anchor edge distances to slab as per Diagram 1 shown below.

Stud frames and top plates to be fixed to the NETBRACE  $^{\scriptsize @}$  in accordance with good building practices.

Brace concealed within wall cavity, protected from elements.



### **Technical Details**

Test Procedure: TP 230 Test Spec: Client's Requirements Material Spec: Not specified Acceptance Spec: Client's Requirements

Client Requirements: Test to loads specified in the Netbrace Lateral Wall Bracing Fact Sheet

Netbrace serviceability deflection Limits Height/ 250 or 10mm maximum lateral

deflection

Equipment: 10T Dura-Pac Cylinder **Equipment No:** 2599 Equipment: 600bar Transducer **Equipment No:** 1550 Equipment: Wika Digital Reader **Equipment No:** 1556 Equipment: **Distance Meter Equipment No:** 2752

Test Restrictions/

**Deviations:** 

Nil

#### Note:

Customer supplied information may affect the validity of the test results

\* Asterix indicates client supplied information



## **Lateral Static Load Testing**

Qty 3, Fabricated Brace 'Netbrace', ID Nos. NBR27-350, NBR27-450, NBR27-600

#### **Test Results**

Sample Reference	Height of Centre mm	Load Applied kN	Hold Time seconds	<b>Deflection</b> mm	Deflection after Load mm	Permanent Set mm	Result / Comments
M01-A NBR27-350	890	7.7	300	4	0	0	Pass
M02-A NBR27-450	916	9.9	300	4	0	0	Pass
M03-A NBR27-600	890	13.2	300	5	0	0	Pass

# **Static Vertical Load Testing**

Qty 1, Fabricated Brace 'Netbrace', ID No. NBR27-600


#### **Test Results**

Sample Reference	Height of Centre mm	Load Applied kN	Hold Time seconds	<b>Deflection</b> mm	Deflection after Load mm	Permanent Set mm	Result / Comments
M03-A NBR27-600	543	100	300	1	0	0	Pass



# **Lateral Static Load Testing**

## **Photographs**




Photograph 1. General View of Lateral Static Load Testing (typical).



# **Lateral Static Load Testing**\

## **Photographs**




Photograph 2. Detail View of M01 - NBR27-350 Hole deformation during testing.



# **Static Vertical Load Testing**

## **Photographs**



Photograph 3. General View of Vertical Static Load Testing.